

SUCCEEDS WHERE OTHERS FAIL

ALBENSEL-10

DRENCH



Quality products, you can trust.



SUCCEEDS WHERE OTHERS FAIL

ALBENSEL-10 DRENCH



Composition : Each ml contains
Albendazole 100 mg

Indications :

ALBENSEL-10 Drench is indicated for the prophylaxis and treatment of worm infestation in cattle, buffalo, sheep, goat, horses and poultry like;

Adult Liver Flukes	<i>Fasciola hepatica, Fascioloides magna</i>
Heads and Segments of Tapeworms	Common Tapeworm (<i>Moniezia expansa</i>), Fringed Tapeworm (<i>Thysanosoma actinioides</i>)
Adults and 4th Stage Larvae of Stomach Worms	Brown Stomach Worm (<i>Ostertagia circumcincta</i> , <i>Marshallagia marshalli</i>), Barberpole Worm (<i>Haemonchus contortus</i>), Small Stomach Worm (<i>Trichostrongylus axei</i>)
Adults and 4th Stage Larvae of Intestinal Worms	Thread-necked Intestinal Worm (<i>Nematodirus spathiger, N. filicollis</i>), Cooper's Worm (<i>Cooperia oncophora</i>), Bankrupt Worm (<i>Trichostrongylus colubriformis</i>), Nodular Worm (<i>Oesophagostomum columbianum</i>), Large-mouth Bowel Worm (<i>Chabertia ovina</i>)
Adult Stages of Intestinal Worms	Hookworm (<i>Bunostomum phlebotomum</i>), Bankrupt Worm (<i>Trichostrongylus colubriformis</i>), Nodular Worm (<i>Oesophagostomum radiatum</i>)
Adult and 4th Stage Larvae of Lungworms	<i>Dictyocaulus viviparus</i>
Adult and 4th Larval Larvae of Lungworms	<i>Dictyocaulus filarial</i>

Pharmacological Properties :

Albendazole is a benzimidazole carbamate which has broad spectrum activity including helminthes as well as protozoa. Benzimidazole selectively bind to parasitic β -tubulin, inhibits polymerization and stops cell division. Impaired uptake of glucose leads to depletion of glycogen which causes parasite starve to death. In ruminants oral dose of albendazole is readily absorbed from the gut and principally metabolized by first pass oxidation.

Dosage and Administration :

Cattle, Buffalo, Camel & Horse : (Albendazole 10 mg / kg bodyweight)
10 ml per 100 kg bodyweight
For Liver flukes; 20 ml per 100 kg bodyweight
Sheep & Goat : (Albendazole 7.5 mg / kg bodyweight)
1.5 ml per 20 kg bodyweight
For Liver flukes; 3 ml per 20 kg bodyweight
Poultry : 1 ml per 10 kg bodyweight

Precautions :

Don't administer to female animals during first 45 days of pregnancy.
Accurate estimates of bodyweight are essential for most effective results.
Shake well before use.
Store below 25°C in a cool and dry place.

Packing : 100 ml, 1-Liter

البيسنل-10 ڈرنچ

اجزاء: ہر ملی لیٹر میں شامل ہیں۔

البيسنل 100 ملی گرام

علامات:

البيسنل-10 ڈرنچ گائے، بھینس، بھیڑ، بکری، اونٹ اور مرغیوں میں پائے جانے والے کرموں اور ان کے بالغ اور نابالغ

لاروں سے بچاؤ اور خاتمہ کیلئے انتہائی موثر ہے۔

البيسنل-10 ڈرنچ معدہ، آنتوں، جگر اور پھیپھڑوں کے

کرموں کیلئے یکساں مفید ہے۔

خوراک و طریقہ استعمال:

درج ذیل خوراک وزن کے مطابق پلائیں۔

گائے، بھینس، اونٹ، گھوڑا: 10 ملی لیٹر فی 100 کلوگرام وزن کے مطابق

جگر کے کرموں کیلئے: 20 ملی لیٹر فی 100 کلوگرام وزن کے مطابق

بھیڑ، بکری: 1.5 ملی لیٹر فی 20 کلوگرام وزن کے مطابق

جگر کے کرموں کیلئے: 3 ملی لیٹر فی 20 کلوگرام وزن کے مطابق

پولٹری: 1 ملی لیٹر فی 10 کلوگرام وزن کے مطابق

احتیاطی تدابیر:

ابتدائی 45 دنوں میں حاملہ جانوروں میں استعمال نہ کریں۔

دوا کے بہتر نتائج کیلئے جانور کے وزن کا بہتر طور پر موازنہ کریں۔

استعمال سے پہلے دوا کو اچھی طرح ہلائیں۔

25°C سے کم ٹھنڈی اور خشک جگہ پر رکھیں۔



Head Office : SPL House, 82-R1, M. A. Johar Town, Lahore - Pakistan
Tel : + 92 42 36291774-5, 35314161 Fax : +92 42 35291776
E.mail : info@selmorepharma.com, sales@selmorepharma.com
www.selmorepharma.com



ISO Certified Company