Doctool-II WSP

(Water Soluble Powder)

COMPOSITION:

Each 1000 gm contains

Tylosin tartarate.......150 gm Doxycycline Hcl.....150 gm Colistin Sulphate.....1200 Miu Excepiens Q.S.....1000 g

TYLOSIN:

It is a macrolide antibiotic and has a bacteriostatical activity against mainty gram-positive bacteria and cocci, gram-negative meningococci and gonococci. After oral administration, theraputica blood levels will be achieved within 2-4 hours.

DOXYCYCLINE:

It belong to a group of the Tetracycline's and has a bacteriostatic activity against many gram-positive and gram-negative bacteria like Staphylococcus spp.

COLISTIN:

Colistin a cyclic polypeptide antibiotic has a bactericidal action against selected gram-negative bacteria, The primary bacterial effect of Colistin is a blockade of the cell divition of bacteria followed by a secondary progressive lyses.

INDICATION:

Infections caused by Tylosin, Doxycycline and Colistin sensitive micro-organisims in calves and poulty especially for gastrointestinal and Mycoplasmal infections. In Poultry mainly of the respiratory tract Infection. It is often used during bronchopneumonia in cattle and chronic coughing in horses.

DOSAGE:

Treatment: Poultry: 1 gm per 2 litres of drinking water for 3-5 days.

Calves: 100 gm per 80 calves of 50 kg body weight daily for 3-5 days.

Prevention: 1 gm / 4 litre of drinking water for 3-5 days. (Poultry)





اجزائے ترکیبی: فی1000 گرام یاوڈر

ٹائلوسین ٹارٹریٹ۔۔۔۔۔۔۔ 150 گرام ڈوکسی سائیکللین ایچ ہی۔ایل۔۔۔۔۔ 150 گرام کوشٹین سلفیٹ۔۔۔۔۔۔۔۔۔۔۔1200 گرام دیگراجزاء بمطابق مقدار۔۔۔۔۔۔۔1000 گرام

استعمال: مانس كاتمام ياريوس كيلة

خوراك:

پولٹری: علاج ایک گرام فی 4 لیٹر پانی میں 3-5 دن احتیاطً : ایک گرام فی 4 لیٹر پانی میں حل کر سے تین سے پانچ دن تک دیں۔

ضروری هدایت:

100 گرام ڈوکسی کول۔ٹی 10 کیٹر پانی میں اچھی طرح حل کرنے کے بعد 200 کیٹر پانی میں ملائیں ٹیکن کی بجائے تازہ پانی استعال کریں

Head Office

113/3, Allama Iqbal Road, Ghari Shahu, Lahore. Tel: 636-4411/630-6957 Fax: 042-637-4378

E-mail: intervac@brain.net.pk Website: www.intervacpvtltd.com