

IZOVAC CLONE

FREEZE-DRIED LIVE VACCINE AGAINST NEWCASTLE DISEASE

COMPOSITION :

Each dose of vaccine contains :

Live attenuated Newcastle Disease virus, strain Clone: 10^6 EID₅₀ in stabilizing solution.

INDICATIONS :

Active immunization against Newcastle Disease. The vaccine is recommended for the immunization of young chicks in the presence of high maternal antibodies against Newcastle Disease

DOSAGE AND ADMINISTRATION :

Administer by eye drop, spray or via drinking water.

First administration: 1 day of age (spray or eye drop).

Second administration: 2-3 weeks later.

Booster: every 2-3 months in layers or breeders.

The amount of water changes according to the age or season.

WARNINGS :

Via spray :

–Utilize a sprayer producing droplets of about 50 micron.

–Spray at about 1 meter of distance from the birds.

Via drinking water :

- ☛ Suspend 2-3 hours before vaccination the administration of drinking water, in order to make the animals partially thirsty
- ☛ Control that the troughs are empty, clean and in particular that they do not contain residues of poultry feed, faeces or traces of disinfectants
- ☛ After determining the number of birds to be vaccinated prepare in clean containers (without disinfectants) the quantity of water to be drunk necessary for the administration of the vaccine
- ☛ All the birds should have the access to drinkers at the same time
- ☛ The reconstitution of the vaccine, the final dilution in the drinking water and the administration must be effected in the shortest time
- ☛ The drinking water containing the vaccine must be exhausted in a period ranging from 2 to 4 hours
- ☛ Do not expose the water containing the vaccine to heat sources (incubating lamps, sun and so on) or to intense light
- ☛ Use water not containing chlorine/traces or disinfectants
- ☛ Skim milk powder may be added to the water (2-3 grams per litre)

Via eye drop :

Administer one drop of vaccine suspension into one eye by means of the dropper.

STORAGE : Store at +2/+8°C.

EXPIRY TIME : 2 years.

PACKING : Box containing 10 vials of 1000 doses.

For Veterinary Use Only



Marketed by:
Animal Health Division
RENATA LIMITED
Mirpur, Dhaka, Bangladesh



Manufactured by:
IZO S.r.l. a socio unico
Sede legale: Via San Zeno, 99/A- 25124 Brescia, Italy