

# Amprocox-50

Water Soluble Powder

# ایمپروکوکس - 50

پانی میں حل پذیر پاؤڈر

## Coccidiosis

This disease caused by unicellular micro-organisms multiply in the Mucous membrane of intestine and caeca. This Unicellular eimeria cause severe damage to the intestinal flora resulting in the lacerations of intestinal flora and bloody fecal material. Due to this condition following economic losses occur.

1. Poor feed conversion ratio
2. Poor immune response
3. Higher mortality rate.

## Composition:

Each 100gm Contains  
Amprolium Hcl BP(USP)..... 50gm

## Description:

Amprolium is a coccidiostat (antiprotozoal) used for the treatment and prevention of coccidiosis in calves, goats, sheep, chickens (broilers and breeders) and other fowl such as turkeys, with activity against Eimeria spp., Especially Eimeria tenella and Eimeria necatrix. It is a thiamine (Vitamin B1) analogue and its pharmacological effect relies on competitive inhibition of thiamine uptake. Amprolium competitively inhibits the active transport of thiamine in isolated second-generation schizonts of Eimeria spp., And in host intestinal cells. Upon ingestion of amprolium, the coccidia experience thiamine deficiency and starve from malnutrition.

## Indications:

Amprocox-50 is highly active for prevention and treatment of coccidiosis especially,

- 1- Ceacal and intestinal coccidiosis of poultry.
- 2- Coccidiosis of rabbits.
- 3- Ruminal coccidiosis.

## Dosage:

Poultry : 1gram Amprocox-50 per 3-5 liters of drinking water daily for 5 days.

## Packing:

100 gm Sachet, 500 gm Jar.

## کاسی کیلئے آزمودہ دوا

**اجزائے ترکیبی :** ہر 100 گرام میں شامل ہے:

ایمپروولیم ہائیدروکلورائیڈ پی (یو ایس پی) ..... 50 گرام

## علامات:

ایمپروکوکس - 50 ایک وسیع الاثر کاسی ڈیوسائیڈ ہے۔ یہ کاسی پیدا کرنے والے

جراثیم کو ختم کر کے مرغیوں میں

◀ اموات پر قابو پاتی ہے

◀ خوراک کو گوشت بننے میں مدد دیتی ہے

◀ مرغیوں کی صحت پر مضر اثرات نہیں ڈالتی

◀ لیزر برائیلر اور بریڈر میں یکساں طور پر مفید ہے

ایمپروکوکس - 50 کا استعمال کاسی کے کنٹرول اور علاج کیلئے

انتہائی مفید ہے

## طریقہ استعمال :

ایک گرام تین سے پانچ لیٹر پانی میں پانچ دن مسلسل استعمال کریں۔

## مضر اثرات :

ایمپروکوکس - 50 کی مقرر کردہ خوراک کے استعمال

سے مرغیوں پر کوئی مضر اثرات مرتب نہیں ہوتے۔

**پیکنگ :** 100 گرام پیکٹ ، 500 گرام جار

## ہدایات :

روزانہ تازہ دوا ملا پانی تیار کریں



Manufactured by:

**INTERVAC (PVT) LTD.**

18-km.Lahore Sheikhpura Road Sheikhpura  
042-6306957-6146042

## Head Office

113/3, Allama Iqbal Road, Ghari Shahu, Lahore.

Tel: 636-4411/630-6957 Fax: 042-637-4378

E-mail: [intervac@brain.net.pk](mailto:intervac@brain.net.pk)

Website: [www.intervacpvtltd.com](http://www.intervacpvtltd.com)