

Composition:

Each Kg Contains	
Vitamin A	20MIU
Vitamin D3	2MIU
Vitamin E	6000mg
Vitamin K3	5000mg
Vitamin C	70gm
(As per Innovator's Specification*)	

VITAMIN A:

- Necessary for growth and development.
- For the maintenance of immune system and good vision.

Vitamin D3

- Primary function of vitamin D3 is to regulate calcium metabolism.
- It regulates the calcium and phosphorus level for bone mineralization and skeletal growth.

Vitamin E

- Act as a scavenger of free radicals.
- Vitamin E play important role in immune system.
- It increases the activity of lymphocytes, enhance the phagocytosis and regulate the production of antibodies.
- Deficiency of vitamin E cause exudative diathesis, muscular degeneration.

Vitamin K3

- Required for the normal blood clotting mechanism.
- Its deficiency cause capillary damage.
- As active vitamin K, it is required for the synthesis of prothrombin and other factors in the liver.

Vitamin C

- Vitamin C is required for the growth & repair of tissues in all parts of body.
- It is necessary to form collagen, an important protein used to make skin, scar tissue, tendons, ligaments & blood vessels.
- Vitamin C is an antioxidant. It also helps to get the body out of stress due to disease, heat, cold, transportation or vaccination.
- Vitamin C necessary for bone development and egg shell quality.

INDICATIONS:

- Treatment and prevention of deficiency of the Vitamins A, D3, E, K3, e.g. growth disturbances, metabolic disorders.
- During convalescence period to faster the recovery from illness to improve laying performance.
- During periods of stress to alleviate the negative effect of stress.
- During periods of high growth in broiler and during peak production phase of laying to improve performance.
- Improves the recovery rate from disease.
- During periods of sudden change in the environment, excessive changes in the temperature.
- After bacterial, viral, parasitic and fungal infections to support the body.

DOSAGE:

Poultry: 1gm in 5 liters of drinking water for 7 days.

PRECAUTIONS:

- Store in dry and cool place.
- Protect from direct sun light.
- Opened packs should be used properly.
- Protect from Moisture.

PACKING:

1 Kg

ویٹا کا پاؤڈر

ہر کلوگرام میں شامل ہے۔

20MIU	وائٹن اے
2MIU	وائٹن ڈی تھری
6000mg	وائٹن ای
5000mg	وائٹن کے تھری
70gm	وائٹن سی

ہر ایکسٹ کوئی بھی خصوصیت کی بابت کے مطابق تیار کیا گیا ہے۔

• وائٹن اے: • جسمانی نشوونما اور بڑھوتری میں اہم کردار ادا کرتا ہے۔

• جسمانی مدافعتی نظام اور نظر کو بہتر رکھتا ہے۔

• وائٹن ڈی تھری: • جسم میں کیلشیم جیٹا پوزیم کو منظم کرتا ہے۔

• ہڈیوں میں تسکین (کیلشیم اور فوسفور) کی مقدار کو برقرار رکھتا ہے اور ڈھانچے کی بڑھوتری کرتا ہے۔

• وائٹن ای: • فری ریڈیکلز کو جذب کر کے خلیوں کو اس کے مضر اثرات سے محفوظ رکھتا ہے۔

• مدافعتی نظام میں اہم کردار ادا کرتا ہے۔

• خون کے سفید خلیوں، لیوسائٹس کی سرگرمی کو بڑھاتا ہے۔

• اسٹیج باڈی کی پیدوار کو بڑھاتا ہے۔ وائٹن ای کی کمی اعصابی خلیوں کی توڑ پھوڑ کا باعث بنتی ہے۔

• وائٹن کے تھری: • خون کے جمنے کے عمل میں اہم کردار ادا کرتا ہے۔

• اس کی کمی سے خون کی باریک نالیوں اثر انداز ہوتی ہیں۔

• یہ خون کے جمنے میں معاون مادہ پروتھرومبین Prothrombin کے بننے میں فعال کردار ادا کرتا ہے۔

• وائٹن سی: • مرئیوں کی نشوونما کے لیے ضروری ہے اور ان کے جسم کے مختلف نشوونما کو بھیک کرتا ہے۔

• ہڈیوں کو مضبوط کرتا ہے، زخموں کو بھرنے میں مدد کرتا ہے اور پتھوں کی نشوونما اور مضبوطی میں

معاون ہے۔ وائٹن سی خون کی رگوں اور نالیوں کو بہتر بناتا ہے۔

• وائٹن سی مرئیوں کو ایک جگہ سے دوسری جگہ منتقل کرنے پر تیار ہے، گرمی سردی جیسے شدید دباؤ سے نکلنے

میں معاون ثابت ہوتا ہے۔ • وائٹن سی ہڈیوں اور اعصاب کے خوں کی مضبوطی کے لیے ضروری ہے۔

علامات:

☆ وائٹن اے ڈی ماہی کے تھری کی کمی کو علاج اور روک تھام کیلئے۔ بڑھوتری اور نشوونما میں رکاوٹ

اور بیٹا بولک امراض کے علاج کیلئے۔

☆ بیماری سے صحت یابی کے دورانیے میں اعصابی دہش کی صلاحیت کو بڑھاتا ہے۔

☆ ویکسینیشن کے اثرات کو ذرا دل کرتا ہے۔

☆ برائے میں بڑھوتری اور لیر میں انڈے کی پیداوار میں اضافے کا سبب بنتا ہے۔

☆ درجہ حرارت اور ماحول میں تبدیلی کے دوران استعمال کیلئے۔

☆ جھلک، یاہ، وائٹس، پی ایس ایس اور نفاذی سے ہونے والے انفیکشن اور بیماری کے بعد جسم کی

ضروریات کو پورا کرتا ہے۔

خوراک / طریقہ استعمال:

ایک گرام 5 لیٹر پینے کے پانی میں حل کر کے سات دن تک استعمال کرنا ہے۔

احتیاطی تدابیر:

☆ دو کوٹنگ اور تھری جگہ پر رکھیں۔

☆ سورج کی روشنی سے بچائیں۔

☆ استعمال کے بعد ڈبے کو اچھی طرح بند کر کے رکھیں۔

☆ نمی سے محفوظ رکھیں۔



پیکنگ: 1 کلوگرام



ICI PAKISTAN LTD.

Vitaka

Water Soluble Powder



“Bird health is your wealth”



MANUFACTURED & MARKETING BY:
ICI PAKISTAN LTD.

Animal Health Division
Life Sciences Business

